




®

POWER DISTRIBUTION UNITS

USB CHARGING UNITS



+44 (0)20 8905 7273

sales@olson.co.uk



Designed and
Manufactured in the UK



USB CHARGING UNITS

Olson Electronics has expanded it's range of products to include a range of USB charging units.

Following the popularity of USB adaptors for smart phones, tablets and other portable devices, we've responded to feedback from our customers and the modern marketplace by adding the option of twin USB sockets on some of our bestselling product ranges; trailing, sloping and suspended.

The USB option can also be specified as part of any bespoke design, using a combination of existing products or fully bespoke designs.

Standard Features

- A robust mild steel construction
- Light grey RAL 7035 paint finish
- Internal wiring (2.5mm²) rated 20A
- Standard and sloping units supplied with a 2m cable - PVC (1.5mm² 3 core) terminated with a 13A fused plug
- Standard and sloping units earth bonded with external M5 earth stud fitted with 250mm earth lead and terminated with an M6 earth tag
- Suspended units are fitted with 20mm nylon gland for cable entry, cables and chains are available separately
- The USB sockets are rated at 5V with a total current capacity of 2A for increased reliability and comply with IEC 60950 and IEC 61000-6-1/3. Supply at full load is 0.3A and Standby just 1.3mA



Technical Data

Operating Voltage: 230V AC
Maximum Current Rating: 13A
Manufactured to BS5733
CE

13A Standard



N13A/4/1USB

PART NO.	NO. OF SOCKETS
N13A/4/1USB	4 WAY
N13A/5/1USB	5 WAY
N13A/6/1USB	6 WAY



2614/1USB

Neon Indicated Sloping Units

PART NO.	NO. OF SOCKETS
2613/1USB	2 WAY
2614/1USB	4 WAY
2615/1USB	6 WAY
2616/1USB	8 WAY
2617/1USB	10 WAY



2618/1USB

Neon Indicated Main Switch Sloping Units

PART NO.	NO. OF SOCKETS
2618/1USB	4 WAY
2619/1USB	6 WAY
2620/1USB	8 WAY
2621/1USB	10 WAY



2630/1USB

Neon Indicated Main Switch Sloping Units + 4 RJ45

PART NO.	NO. OF SOCKETS
2630/1USB	4 WAY
2631/1USB	6 WAY
2632/1USB	8 WAY
2633/1USB	10 WAY

Single Socket Suspended Unit



SUS13A/4/1USB

PART NO.	NO. OF SOCKETS
SUS13A/4/1USB	4 WAY


Double Socket Suspended Unit



TSUS13A/4/1USB

PART NO.	NO. OF SOCKETS
TSUS13A/4/1USB	8 WAY

THE NUMBER ONE CHOICE FOR BESPOKE POWER SOLUTIONS



- Rated at 13A, 16A and 32A
- Robust metal construction
- Vertical / horizontal mounting
- Availability from stock
- Colour options
- International sockets



OLSON ELECTRONICS LIMITED

OLSON HOUSE, 490 HONEYPOT LANE, STANMORE, MIDDXX, HA7 1JY, UK
TEL: +44 (0) 20 8905 7273 FAX: +44 (0) 20 8952 1232
email: sales@olson.co.uk www.olson.co.uk

